

4XEM 2x1 8K 2-in 1-out HDMI switch

4XEM Part- 4XHSP0901



Introducing our 2x1 8K HDMI Switch - the ultimate solution for connecting two HDMI devices to one 8K 60Hz or 4K 120Hz display. This versatile switch allows you to easily switch between your gaming console, streaming device, or other HDMI-enabled devices with the push of a button.

The 2x1 8K HDMI Switch supports 8K resolution at 60Hz and 4K resolution at 120Hz, delivering stunning visual quality and smooth motion. This means you can enjoy the latest video games, movies, and streaming content in stunning 8K or 4K resolution, with smooth and responsive gameplay.

The 2x1 8K HDMI Switch is also easy to install and use, with no software or drivers required. Simply plug it in, connect your HDMI devices, and start enjoying your content.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Brandon Hegarty 4XEM Sales Manager  
1-866-999-4936 Ext.113 [bhegarty@4xem.com](mailto:bhegarty@4xem.com)



## Features

- 2 HDMI 2.1 input ports
- 1 HDMI 2.1 output port
- Supports 8K (7680x4320) @60Hz video resolution
- Supports 4K (3840x2160) @120Hz video resolution
- Max 48 Gbps uncompressed bandwidth
- Source input selection button
- 2 active input LED indicators
- Micro-USB power connector
- 3 FT Micro-USB power cable

## Application

- Home Entertainment Systems: Connect two 8K source devices (e.g., streaming boxes, Blu-ray players, gaming consoles) to a single 8K TV or projector. Eliminate constant cable swapping while maintaining ultra-high-definition video and audio quality.
- Professional AV and Presentation Environments: Seamlessly switch between laptops, media players, or other HDMI sources during meetings, conferences, or classes. Streamline AV setup in boardrooms, lecture halls, or auditoriums with one display and multiple input sources. Supports professional-grade visuals for crisp presentations and multimedia displays.
- Digital Signage and Display Networks: Manage multiple content feeds to a single 8K display in public spaces, retail, or lobbies. Quick switching between promotional content and informational displays. Simplifies backend cabling and content control.



**4XEM Products Are Available At Your Favorite Online Retailers**



Warranty Information	Warranty	1 Year
Hardware	Chip ID Industry Standards Remote	Diodes Incorporated - PI3WVR13412 HDMI 2.1 No
Connector(s)	Video Connector Type Video Input Video Outputs Power	HDMI 2 1 Micro-USB
Performance	Max Uncompressed Bandwidth Maximum Digital Resolutions	48.0 Gbps/42.67 Gbps 7680x4320 (8K), 50Hz, 8bpc (Uncompressed) 3840x2160 (4K), 120Hz, 12bpc (Uncompressed)
Power	Power Source Input Voltage Power Consumption	USB Powered (Adaptor not included) 5V DC @ 1A 5W
Physical Characteristics	Colour Shell Material Buttons/Switches LED Indicators Power Cable (Micro-USB) Length Product Height Product Width Product Length Weight of Product	Black Aluminum Input Selector 2 (Active Input Indicator) 3.05 ft [0.93 m] 0.54 in [13.8 mm] 2.76 in [70.0 mm] 2.05 in [52.0 mm] 1.62 oz [46 g]
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 2.2 in [205 mm] 5.8 in [148 mm] 0.93 in [23.5 mm] 2.61 oz [74 g]
What's in the Box	Included in Package	1x 2-port HDMI Switch 1x Micro-USB Power Cable
	Notes	"External Power Supply required; HDMI voltage insufficient for proper operation. Higher bandwidths (resolution, refresh rate, colour depth) are achievable with DSC (This feature must also be supported by your display and graphics card/ video source equipment)."
	* Product appearance and specifications are subject to change without notice.	
	* Same day shipping is only available for orders shipping within the United States.	

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager  
1-866-999-4936 Ext.113    bhegarty@4xem.com**

